Spare Parts for

Combi Ovens



Spare parts suitable for

COVEN

2017

Find the complete and up-to-date range of products in our GEV Webshop

heating elements

heating elements for convection



1

GEV No.	417288	Ref. No.	EMRSB160
description	heating element 1600W		



1

GEV No.	418986	Ref. No.	EMRSB030
description	heating element 3000W 240V heating circuits 1 ID ø 180mm ED ø 186mm L 210mm H 31mm L1 11mm W1 60mm H1 7mm H2 24.5mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 34.5mm tube ø 6.25mm convection heating element hole ø 5mm rectangular flange		



1

GEV No.	418972	Ref. No.	EMRSB033 EMRSB38333
description	heating element 3300W 240V heating circuits 1 ID ø 178mm ED ø 190mm L 205mm H 34mm L1 10mm W1 59mm H1 11mm H2 23mm flange length 100mm flange width 21mm hole distance 86mm connection male faston 6.3mm connection length 34mm tube ø 6.3mm convection heating element		

energy regulators

EGO

1-circuit



1

GEV No.	380015	Ref. No.	EMPUAH00
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_ series



1

GEV No.	375860	Ref. No.	EMTS0300
description	thermostat t.max. 289°C temperature range 57-289°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1780mm capillary pipe isolated 1770mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270° probe material SS		




1

GEV No.	375654	Ref. No.	EMTS55ME
description	thermostat t.max. 99°C temperature range fixed 99°C 1-pole 1CO 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolated 900mm gland nut		

Find the complete and up-to-date range of products in our GEV Webshop

safety thermostats

55.10/19_ series



1

GEV No.	375857	**Ref. No.**	EMTSS350
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 3.1mm probe L 201mm capillary pipe 870mm capillary pipe isolated 870mm gland nut probe SS		

switches and momentary switches

push/momentary push switches

miscellaneous



1

GEV No.	347501	**Ref. No.**	EMDEVMOL
description	push switch black 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

microswitches

pin-plunger actuated

M10



1

GEV No.	346078	**Ref. No.**	EMMS1600
description	microswitch with plunger thread M10x0.75 250V 16A 1CO connection screw		

cam switches

on/off



1


GEV No.	300129	**Ref. No.**	EMIG1600
description	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

4 operating positions



1

GEV No.	300236	**Ref. No.**	EMIGSLMX
description	cam switch 25/32A shaft ø 6x4.6mm shaft L 23mm 3-pole		



1

GEV No.	347500	**Ref. No.**	EMIGSUMX
description	cam switch shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		

lamps

indicator lights

indicator lights (complete)

ø12mm

with screw socket



1

GEV No.	359027	**Ref. No.**	EMLSAHRO
description	indicator light ø 12mm 250V green connection male faston 6.3mm		

screw-on/push-on fit

light bulbs

for ovens



1

GEV No.	359610	**Ref. No.**	EMPLLAHO
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		



1

GEV No.	359612	**Ref. No.**	EMPLL025
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		

halogen lamp

for socket G4 / G6.35 / G9



1

GEV No.	359945	**Ref. No.**	EMPLAL25
description	halogen lamp socket G9 230V 25W temp.-resist. 300°C		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

GEV No.	357170	**Ref. No.**	EMPLP042
description	oven lamp mounting ø 35.5mm 230V 25W socket G9 temp.-resist. 300°C connection F6.3		



1

GEV No.	359709	**Ref. No.**	EMPLG042
description	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		



1

GEV No.	359705	**Ref. No.**	EMPLG800
description	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
accessories for	359705		



GEV No.	359610	Ref. No.	EMPLLAHO

light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips



GEV No.	359700	Ref. No.	—

gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm



GEV No.	359721	Ref. No.	—

gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs



GEV No.	359837	Ref. No.	—

gasket ID ø 33mm ED ø 46mm thickness 1mm graphite



GEV No.	359838	Ref. No.	—

gasket ID ø 33mm ED ø 45mm

55x70mm



1

GEV No.	359297	**Ref. No.**	EMPLQU25B
description	frame L 95mm W 81mm mounting distance 68/83mm thickness 6mm		
accessories for	359297		



GEV No.	359299	Ref. No.	—

gasket L 91mm W 77mm hole ø 3mm for oven lamp

lamps

light bulbs



1

GEV No.	359610	**Ref. No.**	EMPLLAHO
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

Find the complete and up-to-date range of products in our GEV Webshop



1

GEV No.	359612	**Ref. No.**	EMPLL025
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		

halogen lamps

for socket G4 / G6.35 / G9



1

GEV No.	359945	**Ref. No.**	EMPLAL25
description	halogen lamp socket G9 230V 25W temp.-resist. 300°C		

timers

programme timers



1

GEV No.	360492	**Ref. No.**	EMC6003 F33245 EMC6003 F3324S
description	timer CDC 6003F engines 1 chambers 3 operation time 324s 230V shaft ø 5mm shaft L 9mm motor type M48L ATS		

mechanical timers



1

GEV No.	350022	**Ref. No.**	EMFTC120
description	timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
accessories for	350022		



GEV No.	110366	Ref. No.	—

knob switch zero mark t.max.°C°C ø 44mm shaft ø 6x4.6mm shaft flat upper black



GEV No.	110381	Ref. No.	—

dial plate graduation 120min permanent position yes rotation 0-300° ø 60mm timers knob ø 45mm with permanent position

alarm devices

buzzer boards



1

GEV No.	350146	**Ref. No.**	EMFTES07
description	buzzer board connection male faston 4.8mm		

contactors

SIEMENS

power contactors



1

GEV No.	380652	**Ref. No.**	EMCNAH25
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 3RT10-16-1AP02		



1

GEV No.	380389	**Ref. No.**	EMCN1H25
description	power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01		

auxiliary contacts



1

GEV No.	380947	**Ref. No.**	EMCNAHA4 EMCNAHAU
description	auxiliary contact contacts 1NO/1NC AC15 3A for contactors 3RT102 3 RT103 connection screw connection type 3RH1921-1FA11		



1

GEV No.	380533	**Ref. No.**	EMCNAAHUM
description	auxiliary contact contacts 3NO/1NC AC15 3A for contactors 3RT101 connection screw connection type 3RT1911-1FA31 resistive load 10A AC-12 10A		

relays

relay sockets



1

GEV No.	380958	**Ref. No.**	EMRGLZX4
description	relay socket 8-pole connection plug-in connection round 8-pole 250V voltage AC 10A		



1

GEV No.	380137	**Ref. No.**	EMRGLZX4
description	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8		
accessories for	380137		



GEV No.	380805	Ref. No.	—
support bracket			

level relays

miscellaneous



1

GEV No.	402994	**Ref. No.**	EMRGLVX4
description	level controller 50/60Hz 8-pole 230V voltage AC 16A type RL30/1S/8		
accessories for	402994		



GEV No.	380958	Ref. No.	EMRGLZX4
relay socket 8-pole connection plug-in connection round 8-pole 250V voltage AC 10A			

electronic controllers

TECNOLOGIC

universal controllers

built-in version



1

GEV No.	379486	**Ref. No.**	EMRESC04
description	electronic controller TECNOLOGIC type TLK38FCR---- mounting measurements 71x29mm 12V voltage AC/DC Pt100/TC (J,K) relay outputs 1 CO-16A(8) Pt100/TC (J,K) built-in depth 64mm defr. funct. no dependend on probe°C display 4 digits		

keypads

front foils



1

GEV No.	403015	**Ref. No.**	CFRPC10X
description	keypad foil L 167mm W 99mm		

solenoid valves

solenoid valves (water)

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C
ambient temperature: 60°C 25°C 60°C
duty cycle: 40% 100% 100%



1

GEV No.	372015	**Ref. No.**	EMUAASRPE
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 10l/min DN10 EATON (INVENSYS) flow regulating valve inlet white		

Find the complete and up-to-date range of products in our GEV Webshop

TP



1

GEV No.	370025	**Ref. No.**	EMUA3C04
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP		
spare parts for	370025		
	GEV No. 371013	Ref. No. —	solenoid coil TP 230VAC 50/60Hz
accessories for	370025		
	GEV No. 371220	Ref. No. —	reducer TP flow rate 3l/min red tolerance ±15%
	GEV No. 371221	Ref. No. —	reducer TP flow rate 5.5l/min yellow tolerance ±15%
	GEV No. 371222	Ref. No. —	reducer TP flow rate 6l/min grey tolerance ±15%
	GEV No. 371223	Ref. No. —	reducer TP flow rate 10l/min white tolerance ±15%
	GEV No. 371224	Ref. No. —	reducer TP flow rate 12l/min bronze tolerance ±15%
	GEV No. 371225	Ref. No. —	reducer TP flow rate 16l/min light brown tolerance ±15%
	GEV No. 371226	Ref. No. —	reducer TP flow rate 20l/min red tolerance ±15%
	GEV No. 371230	Ref. No. —	reducer TP flow rate 0.25l/min red tolerance ±25%
	GEV No. 371231	Ref. No. —	reducer TP flow rate 0.35l/min violet tolerance ±25%
	GEV No. 371232	Ref. No. —	reducer TP flow rate 0.5l/min orange tolerance ±25%
	GEV No. 371233	Ref. No. —	reducer TP flow rate 0.8l/min white tolerance ±25%
	GEV No. 371234	Ref. No. —	reducer TP flow rate 1l/min light blue tolerance ±25%
	GEV No. 371235	Ref. No. —	reducer TP flow rate 1.2l/min brown tolerance ±25%
	GEV No. 371236	Ref. No. —	reducer TP flow rate 1.5l/min light brown tolerance ±25%
	GEV No. 371237	Ref. No. —	reducer TP flow rate 2.5l/min yellow tolerance ±25%
accessories for	370025		
	GEV No. 371238	Ref. No. —	reducer TP flow rate 3.4l/min dark green tolerance ±25%
	GEV No. 371239	Ref. No. —	reducer TP flow rate 5l/min black tolerance ±25%
	GEV No. 371240	Ref. No. —	reducer TP flow rate 8l/min blue tolerance ±20%

solenoid valves with reducers



1

GEV No.	370437	**Ref. No.**	EMUA2RPE
description	solenoid valve double angled 230VAC inlet 3/4" input 10l/min output 1.2/1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve inlet white outlet 11.5mm output A 1.2l/min output B 1.2l/min flow regulating valve outlet A dark brown flow regulating valve outlet B dark brown		



1

GEV No.	370644	**Ref. No.**	EMUA2C180
description	solenoid valve double straight 220-240VAC inlet 3/4" input 10l/min DN10 TP flow regulating valve inlet white outlet 11.5mm output A 1.5l/min output B 1.5l/min flow regulating valve outlet A brown flow regulating valve outlet B brown		

fans

axial fans

import



1

GEV No.	601080[1]	**Ref. No.**	EMMOAS10
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
accessories for	601080		
	GEV No. 550898	Ref. No. —	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan

[1]with ball bearings

Table continues overleaf

accessories for	601080			
	GEV No.	692519	Ref. No.	—
	guard L 120mm W 120mm plastic			



1

GEV No.	601081[1]	**Ref. No.**	EMMOAS6
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 14/13.5W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C		
accessories for	601081		
	GEV No.	691102	Ref. No. —
	guard ø 75mm mounting distance 71mm for axial fan 80mm		


[1]with ball bearings

hot air fans

miscellaneous



1



GEV No.	601011	**Ref. No.**	EMMVR150
description	hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH		
accessories for	601011		
	GEV No.	550879	Ref. No. —
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		
	GEV No.	601260	Ref. No. —
	nut thread M6L IT for hot air fan		

pumps

drain pumps

ASKOLL



1

GEV No.	500346	**Ref. No.**	MCPOMPAMX
description	drain pump inlet ø 30mm outlet ø 22mm 230V 40W 50Hz ASKOLL type M231 XP with holder		

electric accessories

terminals

connection terminals with screw/faston connections



1

GEV No.	550278	**Ref. No.**	EMMR1102
description	power terminal block 3-pole max. 40A max 400V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		



1

GEV No.	550411	**Ref. No.**	EMMR1224
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		

Find the complete and up-to-date range of products in our GEV Webshop

gas valves and ignition boxes

gas control valves

SIT

NOVASIT



1

GEV No.	101914	**Ref. No.**	EMSIT822N
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection closed ignition pressurembar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.822.144		
spare parts for	101914		
	GEV No.	101313	Ref. No. —
	solenoid coil 230V 50Hz		
	GEV No.	101542	Ref. No. —
	solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V		
accessories for	101914		
	GEV No.	101305	Ref. No. —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	GEV No.	101306	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101307	Ref. No. —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101308	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	GEV No.	101503	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs		
	GEV No.	101924	Ref. No. —
	plug with cable L 1090mm suitable for NOVA 822/826/827		

ignition boxes

BRAHMA



1

GEV No.	107471	**Ref. No.**	EMCONFIN6G
description	ignition box BRAHMA type CM11 electrodes 2 waiting time 1.5s safety time 10s 230V 7VA 50-60Hz		

ignition parts

pilot burners

SIT

100 series



1


GEV No.	106906	**Ref. No.**	EMSITBP0
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		
	GEV No.	100245	Ref. No. —
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
	GEV No.	100855	Ref. No. —
	pilot burner bracket triple		
	GEV No.	100885	Ref. No. —
	air mixing sleeve for pilot burner Qty 1 pcs		
	GEV No.	100916	Ref. No. —
	compression spring for pilot burner Qty 1 pcs		
	GEV No.	100917	Ref. No. —
	gasket for pilot burner Qty 1 pcs aluminium		
	GEV No.	100918	Ref. No. —
	screw for pilot burner		
	GEV No.	107162	Ref. No. —
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	GEV No.	107701	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm		
accessories for	106906		
	GEV No.	100245	Ref. No. —
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		

Table continues overleaf

accessories for	106906		
	GEV No.	100246	Ref. No. —
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	GEV No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	GEV No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	GEV No.	107171	Ref. No. —
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
	GEV No.	107700	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm		
	GEV No.	107702	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		

accessories


ignition electrodes



1

GEV No.	100706	Ref. No.	EMSITCA0
description	ignition electrode connection M4 Qty 1 pcs		

electrodes



1

GEV No.	100706	Ref. No.	EMSITCA0
description	ignition electrode connection M4 Qty 1 pcs		

ignition units



1

GEV No.	102485	Ref. No.	EMACA000
description	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz		



1

GEV No.	101002	Ref. No.	EMACA000
description	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		


thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6(6.5)mm

thermocouples SIT



1

GEV No.	107614	Ref. No.	EMSITT150 EMSITT20
description	thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm		

equipment-specific units

for convection ovens/combi-steamers

glass panels



1

GEV No.	694560	Ref. No.	MCVE0002
description	glass panel L 388mm W 310mm thickness 4mm Qty 1 pcs		

Find the complete and up-to-date range of products in our GEV Webshop

knobs

producer-specific knobs

COVEN



1

GEV No.	111421	**Ref. No.**	MCMA0M0T
description	knob zero mark ø 48mm shaft ø 6x4.6mm shaft flat upper black		

locks

handle latches

universal

outside fixing

locks



1

GEV No.	694065	**Ref. No.**	MCCHSAMX
description	door handle for headed units L 145mm W 40mm H 62mm spring length 33mm outer black		
spare parts for	694065		
	GEV No. 514390	Ref. No. —	spring for door handle ø 6mm L 54mm W 27.5mm
	GEV No. 694734	Ref. No. —	door handle L 165mm W 40mm H 25mm black
	GEV No. 694735	Ref. No. —	cap ø 32mm black
accessories for	694065		
	GEV No. 694066	Ref. No. —	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel
	GEV No. 694067	Ref. No. MCCHAGMX	door catch with spigot 1-stage L 26mm total length 51mm thread M8

producer-specific

COVEN

group 1



1

GEV No.	694850	**Ref. No.**	MCPR3AMX
description	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 52mm thread M8		



1

GEV No.	694065	**Ref. No.**	MCCHSAMX
description	door handle for headed units L 145mm W 40mm H 62mm spring length 33mm outer black		
spare parts for	694065		
	GEV No. 514390	Ref. No. —	spring for door handle ø 6mm L 54mm W 27.5mm
	GEV No. 694734	Ref. No. —	door handle L 165mm W 40mm H 25mm black
	GEV No. 694735	Ref. No. —	cap ø 32mm black
accessories for	694065		
	GEV No. 694066	Ref. No. —	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel
	GEV No. 694067	Ref. No. MCCHAGMX	door catch with spigot 1-stage L 26mm total length 51mm thread M8

group 2



1

GEV No.	694480	**Ref. No.**	MCPR2AMX
description	door catch with spigot 2-stage type DL24 L 42mm W 12mm H 18mm total length 62mm thread M8x1.25 thread L 20mm chrome-plated		
accessories for	694480		
	GEV No. 694475	Ref. No. MCCHSAMX/2	door handle for headed units bright finish type 1625L L 160mm W 39mm H 65mm spring length 30mm inner black plastic mounting distance 25mm flange 42x76mm mounting thread M5

Table continues overleaf

accessories for	694480			
	GEV No.	694476	Ref. No.	—
	door handle for headed units matt finish type 1625 L 160mm W 39mm H 65mm spring length 30mm inner black/chrome plastic mounting distance 25mm flange 42x76mm mounting thread M5			




1

GEV No.	694475	**Ref. No.**	MCCHSAMX/2
description	door handle for headed units bright finish type 1625L L 160mm W 39mm H 65mm spring length 30mm inner black plastic mounting distance 25mm flange 42x76mm mounting thread M5		
accessories for	694475		
	GEV No. 694477	Ref. No.	—
	door catch with spigot 1-stage type SL24 L 31.5mm W 12mm H 19.5mm total length 52mm thread M8x1.25 thread L 20.5mm chrome-plated		
	GEV No. 694478	Ref. No.	—
	door catch with spigot 1-stage type SL42 L 31.5mm W 12mm H 19.5mm total length 67.5mm thread M8x1.25 thread L 36mm chrome-plated		
	GEV No. 694479	Ref. No.	—
	door catch with spigot 1-stage type SL60 L 31.5mm W 12mm H 19.5mm total length 87mm thread M8x1.25 thread L 55.5mm chrome-plated		
	GEV No. 694480	Ref. No.	MCPR2AMX
	door catch with spigot 2-stage type DL24 L 42mm W 12mm H 18mm total length 62mm thread M8x1.25 thread L 20mm chrome-plated		
	GEV No. 694481	Ref. No.	—
	door catch with spigot 2-stage type DL42 L 42mm W 12mm H 18mm total length 78.5mm thread M8x1.25 thread L 36.5mm chrome-plated		
	GEV No. 694482	Ref. No.	—
	door catch with spigot 2-stage type DL60 L 42mm W 12mm H 18mm total length 98mm thread M8x1.25 thread L 56mm chrome-plated		

edgemount latches


handle latches

CAFF/FERMOD



1

GEV No.	700906	**Ref. No.**	MCCHIN04P
description	catch L 122mm mounting distance 104mm heated units		
spare parts for	700906		
	GEV No. 690419	Ref. No.	—
	door catch L 52mm W 20mm H 30mm mounting distance 26-37mm zamak for refrigeration units		
	GEV No. 700062	Ref. No.	—
	handle protection heated units		



1

GEV No.	701024	**Ref. No.**	MCCHIN04
description	handle latch L 150mm mounting distance 133mm heated units type 790		
spare parts for	701024		
	GEV No. 700061	Ref. No.	MCCHINA04 MCCHNA04
	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
	GEV No. 700062	Ref. No.	—
	handle protection heated units		

Find the complete and up-to-date range of products in our GEV Webshop

snap locks

universal



1

GEV No.	690596	Ref. No.	MCCHPI00
description	snap lock L 60mm W 15mm H 36mm mounting distance 48/28mm spring thickness 1.5mm complete with door catch zamak		

espagnolette locks

universal



1

GEV No.	690041	Ref. No.	MCCHME10
description	cam L 148mm mounting distance 32mm		

shelves and shelf rails

grid attachments




1

GEV No.	689001	Ref. No.	MCPR0003
description	bearing rail L 325mm H 15mm mounting pos. cavity W 15mm stainless steel for COVEN delivery pair		

gaskets


gaskets for heated units

window seals



1


GEV No.	901380	Ref. No.	MCGV0003
description	window gasket profile 1883 Qty supplied by meter		



1


GEV No.	900782	Ref. No.	MCGV0002
description	window gasket profile 1889 Qty supplied by meter		

door seals




1

GEV No.	901381	Ref. No.	MCGP3/4P
description	door seal profile 2045 Qty supplied by meter		




1

GEV No.	900778	Ref. No.	MCGPN004 / 470mm
description	door seal profile 2403 L 470mm Qty 1 mounting pos. vertical		




1

GEV No.	901382	Ref. No.	MCGPN004 / 490mm
description	door seal profile 2403 L 490mm Qty 1 mounting pos. vertical		




1

GEV No.	900779	Ref. No.	MCGPN004 / 600mm
description	door seal profile 2403 L 600mm Qty 1 mounting pos. horizontal		




1

GEV No.	901383	**Ref. No.**	MCGPN004 / 700mm
description	door seal profile 2403 L 700mm Qty 1 mounting pos. horizontal		




1

GEV No.	900780	**Ref. No.**	MCGPN004 / 890mm
description	door seal profile 2403 L 890mm Qty 1		




1

GEV No.	900781	**Ref. No.**	MCGPN004
description	door seal profile 2403 Qty supplied by meter		



1

GEV No.	901326	**Ref. No.**	GUARNIPORTA106 MCGFC06N
description	door seal profile 2785 Qty supplied by meter		



1

GEV No.	901169	**Ref. No.**	MCGP0002
description	door seal profile 2948 Qty supplied by meter		

consumables

sealants and adhesives

high temperature silicone



1

GEV No.	890266	**Ref. No.**	CSR60902
description	high temperature silicone COLLEX RED SILICONE t.max. -40 up to +250°C red tube 80ml		
description	COLLEX RED SILICONE - tube 80ml - red In-situ flat gaskets for transmissions, compressors, pumps, manifolds, etc. Sealing joints for lighting devices and caulking for electric passages. Good resistance to motor oils, water and coolants. Temperature range -40°C to +250°C.		

A

alarm devices 5
axial fans 7

C

cam switches 3
consumables 14
contactors 5
control thermostats 2

D

door seals 13
drain pumps 8

E

edgemount latches 12
electric accessories 8
electronic controllers 6
energy regulators 2
espagnolette locks 13

F

fans 7

G

gas control valves 9
gaskets for heated units 13

H

halogen lamp 4
handle latches 12
heating elements 2
heating elements for convection 2
high temperature silicone 14
hot air fans 8

I

ignition boxes 9
ignition units 10
indicator lights 3
indicator lights (complete) 3

L

lamps 3
light bulbs 4

M

mechanical timers 5
microswitches 3

O

oven lamps 4

P

pilot burners 9
programme timers 5
pumps 8
push/momentary push switches 3

R

relays 6

S

safety thermostats 3
sealants and adhesives 14
shelves and shelf rails 13
silicone 14
snap locks 13
solenoid valves 6
switches and momentary switches 3

T

terminals 8
thermocouples 10
thermostats 2
timers 5

W

window seals 13